



RFQ#: \_\_\_\_\_

# Request for Quote Form

Date: \_\_\_\_\_

## Customer Data:

Name: \_\_\_\_\_ Engineer: \_\_\_\_\_ Ref # \_\_\_\_\_

## File Data:

File Format: \_\_\_\_\_ File Received From: \_\_\_\_\_ Forwarded By: \_\_\_\_\_ Via: \_\_\_\_\_

Family Mold:

## Mold Data:

Part Name(s): \_\_\_\_\_ Part Material: \_\_\_\_\_ Project Life: \_\_\_\_\_ years

Part Number(s): \_\_\_\_\_ Shrinkage: \_\_\_\_\_ Class: \_\_\_\_\_

Revision No.(s): \_\_\_\_\_ No. of Cavities: \_\_\_\_\_ Parts/Year: \_\_\_\_\_

## Production Mold Manufacturing Data:

### Base Steel:

- No. 1 (1030)
- No. 2 (4140)
- No. 3 (P-20)
- Other: \_\_\_\_\_

### Base Style:

- Std (Two Plate)
- Three Plate: \_\_\_\_\_
- Hot Runner: \_\_\_\_\_
- Other: \_\_\_\_\_

### Slide Action:

- Angle Pin
- Hydraulic: \_\_\_\_\_
- Auto-Unscrewing
- Other: \_\_\_\_\_

### Cooling:

- 7/16 Dia. w/ 3/8 NPT
- 7/16 Dia. w/ 1/4 NPT
- 9/16 Dia. w/ 3/8 NPT
- C'Bore for Jiffy
- Plug No.: \_\_\_\_\_

### Ejection:

- Pins  Sleeves
- Stripper Plate
- K.O. Blades
- Lifter
- Hyd. Act. Ejector Plate
- Latch Lock System
- Reverse Ejection
- Two Stage Ejection
- Double Ejection
- Other: \_\_\_\_\_

Cav. **Material:** Core  
 P-20   
 \_\_\_\_\_ Tool: \_\_\_\_\_  
 In Mold Base   
 Other: \_\_\_\_\_  
 \_\_\_\_\_ Rc Hardness \_\_\_\_\_  
 Slides: \_\_\_\_\_ Gibbs: \_\_\_\_\_  
 Rc: \_\_\_\_\_ Rc: \_\_\_\_\_

Cav. **Finish:** Core  
 \_\_\_\_\_ SPI - SPE \_\_\_\_\_  
 Texture#: \_\_\_\_\_  
 Eng. Depressed in Steel  
 Eng. Raised in Steel  
 Plating: \_\_\_\_\_  
 Other: \_\_\_\_\_

### Gating:

- Edge
- Sub-Gate
- Pin Point
- Center Sprue
- Diaphragm
- Banana
- Hot Tip
- Other: \_\_\_\_\_

## Standard Features:

	Tool	Maker	Customer	
Mold Design By:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Layout Detail <input type="checkbox"/>
Mold Sampling By:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Eng. Sample <input type="checkbox"/>
				Pilot Sample <input type="checkbox"/>
Resin Supplied By:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Gen. Purpose <input type="checkbox"/>
				Precolored <input type="checkbox"/>
First Article Inspect. By:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Critical Dim. <input type="checkbox"/>
				Full Dim. <input type="checkbox"/>
Texture Done By:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Mold Tech <input type="checkbox"/>
				HK Equivalent <input type="checkbox"/>

## Optional Features:

- K.O. Adapter (Coupler)
- Accelerated K.O.
- Mech. Early Ejector Ret.
- Lam. Bronze Wear Plate
- Electrodeless Nic. Plating
- Water Conn. Supplied
- Water Manifold
- Date Code Insert
- Recycled Code
- Approval Insert
- Heat Insulation Plate
- Electric Heaters
- Latch Lock
- Pressure Sensor
- Shot Counter
- QMC Plate
- Thin Microswitch
- Other: \_\_\_\_\_

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_